Shanks vitreous china

May be supplied in 5 different standard colours in addition to white

The material "par excellence" for sanitary appliances

NO 3 BLUE NO 1 YELLOW NO 4 GREEN NO 1 PINK NO 3 GREEN

LIST Nº 745 (HOME)

Shanks

& · CO · LTD

TUBAL WORKS

BARRHEAD SCOTLAND

POTTERIES:

"VICTORIAN," BARRHEAD

"LONGPARK," KILMARNOCK

BRANCHES

LONDON:	Showrooms and Offices	81 New Bond Street, W.1
"	Warehouse and Works	Levern Works, Acton Vale, W.3
MANCHESTER:	Showrooms and Offices	12 Deansgate, 3
"	Warehouse	3 Tortworth Street, Strangeways
GLASGOW:	Showrooms and Offices	189 West George Street, C.2
"	Warehouse	84 West George Lane, C.2
NEWCASTLE-ON-TYNE:	Showrooms and Offices	11, 13 and 15 Mosley Street
"	Warehouse	Caledonian Insurance Yard, Manors
BRISTOL:	Offices	Beacon House, Queen's Road, 8
LIVERPOOL:	Offices	43 Castle Street, 2
BIRMINGHAM:	Offices	51 Guildhall Buildings, Navigation Street, 2
DUBLIN:	Offices, Showrooms and Warehouse	3 William's Row (off Bachelor's Walk)

Telephones		Telegrams
Works	Barrhead 174 (4 Lines)	"SHANKS, BARRHEAD"
London	Mayfair 6812 (4 Lines)	"SPRAYBATH, WESDO, LONDON"
London Warehouse	Shepherd's Bush 3315 (2 Lines)	"SHANKS, DEANSGATE, MANCHESTER"
Manchester	Blackfriars 0624	"BATHROOM, GLASGOW"
Glasgow	Central 1788 (2 Lines)	"ROTUNDA, NEWCASTLE"
Newcastle	Newcastle 27064-5	"SHANKS, BRISTOL"
Bristol	Bristol 33772	"SMALLMAN, DUBLIN"
Liverpool	Bank 4679	
Birmingham	Midland 4392	
Dublin	Dublin 4153-4	

Shanks

VITREOUS CHINA

Strength of Shanks' Vitreous China reduces chance of breakage

Shanks' Vitreous China is the material "par excellence" for sanitary appliances.

It is a development and refinement of a special heat-resisting, acid-resisting and non-porous ware manufactured by Shanks & Co., Ltd., during the late war for use in the manufacture of chemicals. It is a pure white porcelain, similar in composition to "de luxe" table-ware. Twice fired at a temperature sufficient for the fusion of steel, it is of a high and uniform density, and, unlike other materials which depend on a superficial glaze for resistance to absorption, it is vitrified and non-porous throughout.



A—Fractural piece of earthenware showing absorption.
B—Fractural piece of Vitreous China, no absorption.
C—White glazed Vitreous China sink
D—Red ink.

Shanks' Vitreous China is not affected by extreme temperatures

It is the strongest of all pottery products. Its tensile strength, its resistance to compression and to shock are more than double that of ordinary pottery ware. Special attention is called to the brilliant lustre and purity of the glaze, a glaze, moreover, which can be absolutely guaranteed not to craze, is unaffected by all acids except hydro-fluoric and is as hard as tempered steel.

Vitreous China may be supplied in five different standard colours in addition to white.

Shanks & Co., Ltd., were the first among European manufacturers to produce sanitary ware with a genuinely vitreous body and their long experience in its manufacture, combined with their high reputation as makers of pottery ware is a guarantee of the super-excellence of its quality.



Shanks' Vitreous China is non-crazing



Earthenware or fireclay | Vitreous China

There is no line of demarkation between glaze and body in Shanks' Vitreous China

Prices for Vitreous China Appliances in Colour

The prices given on the pages following this are for white glazed Vitreous China Appliances.

A limited range however of the designs shown may be supplied in the 5 standard colours shown on cover.

For easy reference we give the prices of these on this page.

Pages 3 and 4.

No. 7427 : "Carlford" Pedestal Lavatory.

24″ × 20″	£9 9 6
27″ × 22″	£11 0 6
30″ × 22″	£15 10 3

Fittings extra as shown on pages 3 and 4

Page 8.

No. 7478 : "Coral" Bidet	£8 1 0
No. 6432 : "Standard" Bidet	£8 1 0

Fittings extra as shown on page 8

Page 9.

No. 3923 : "Remirol" Closet	£4 3 9
Closet seat in coloured "Decosan," with chromium-plated hinges	£1 14 6
Closet seat and lid in coloured "Decosan," with chromium-plated hinges ...	£3 0 0
No. 4775 cistern with "Duro" fittings	£5 18 0

Page 10.

No. 7263 : "Neosan" Closet	£3 2 3
Closet seat in coloured "Decosan," with chromium-plated hinges	£1 14 6
Closet seat and lid in coloured "Decosan," with chromium-plated hinges ...	£3 0 0
No. 7373 Cistern with "Improved Beta" valve fittings	£5 10 9

Page 11.

No. 4660 : "Albany" Closet, with outlet piece as Fig. 1	£4 3 9
Ditto, ditto Fig. 2	£4 9 9
Ditto, ditto Fig. 3	£4 10 3
Ditto, ditto Fig. 4	£4 15 3
Ditto, ditto Fig. 5	£4 13 9
Ditto, ditto Fig. 6	£4 9 9
Closet seat in coloured "Decosan," with chromium-plated hinges	£1 14 6
Closet seat and lid in coloured "Decosan," with chromium-plated hinges ...	£3 0 0

No. 7265 : Cistern—	2 or 2½ gallons with end connections	2½ gallons with bottom connections	3 gallons with bottom or end connections
With "Certus" valveless fittings	£5 10 6	£5 15 6	£6 0 0
With "New Rotunda" valveless fittings ...	£5 14 9	£5 19 9	£6 8 6
With "Duro" valve fittings, 3 gallons only		£5 18 0	

Shanks

Plate 7380—" Carlford "

Plate 7380 : Comprising Shanks' No. 7427 Pedestal Lavatory, The "Carlford," in white glazed Vitreous China, with open overflow, soap sinkings, waste hole and tap holes, fixture for securing pedestal to basin. *No other fittings.*

Approximate Sizes		
Basin Inside	Overall	
19″ × 11⅓″ (483 mm. × 292 mm.)	24″ × 20″ (610 mm. × 508 mm.)	£5 8 3
21″ × 12½″ (533 mm. × 317 mm.)	27″ × 22″ (686 mm. × 559 mm.)	£6 6 0
21″ × 12½″ (533 mm. × 317 mm.)	30″ × 22″ (762 mm. × 559 mm.)	£8 17 3

FITTINGS

No. 7468 ½″ (13 mm.) combined hot and cold taps, *J.C.S.W.R. Standard*, with single inlet nozzle in combination with pop-up waste, chromium-plated	£4 0 0
No. 7311 1¼″ (32 mm.) chromium-plated " P " trap, *not including wall flange*	£0 8 9
No. 7303 adjustable wall stays, chromium-plated, per pair	£0 2 6

Plate 7379 : Comprising Shanks' No. 7427 Pedestal Lavatory, The "Carlford," in white glazed Vitreous China, with open overflow, soap sinkings, waste hole and tap holes, fixture for securing pedestal to basin. *No other fittings.*

Approximate Sizes		
Basin Inside	Overall	
19″ × 11⅓″ (483 mm. × 292 mm.)	24″ × 20″ (610 mm. × 508 mm.)	£5 8 3
21″ × 12½″ (533 mm. × 317 mm.)	27″ × 22″ (686 mm. × 559 mm.)	£6 6 0
21″ × 12½″ (533 mm. × 317 mm.)	30″ × 22″ (762 mm. × 559 mm.)	£8 17 3

FITTINGS

No. 7239 ½″ (13 mm.) hot and cold " Stylus " taps, *J.C.S.W.R. standard*, chromium-plated	£1 12 6
No. 7479 1¼″ (32mm.) pop-up waste, chromium-plated	£2 2 6
No. 7311 1¼″ (32 mm.) chromium-plated " P " trap, *not including wall flange*	£0 8 9
No. 7303 adjustable wall stays, chromium-plated, per pair	£0 2 6

Plate 7379—" Carlford "

Plate 7395—"Carlford"

Plate 7395 : Comprising Shanks' No. 7427 Pedestal Lavatory, The "Carlford," in white glazed Vitreous China, with open overflow, soap sinkings, waste hole and tap holes, fixture for securing pedestal to basin. *No other fittings.*

Approximate Sizes		
Basin Inside	Overall	
19″×11½″ (483 mm.×292 mm)	24″×20″ (610 mm.×508 mm.)	£5 8 3
21″×12½″ (533 mm.×317 mm.)	27″×22″ (686 mm.×559 mm.)	£6 6 0
21″×12½″ (533 mm.×317 mm.)	30″×22″ (762 mm.×559 mm.)	£8 17 3

FITTINGS

No. 4034 ½″ (13 mm.) hot and cold taps, chromium-plated, *Ministry of Health standard*, per pair	£0 12 6
Ditto ditto, *J.C.S.W.R. standard*, per pair	£0 13 6
No. 1123 1¼″ (32 mm.) plug and chain waste, chromium-plated	£0 4 3
No. 7311 1¼″ (32 mm.) chromium-plated " P " trap, *not including wall flange*	£0 8 9
No. 7303 adjustable wall stays, chromium-plated, per pair	£0 2 6

Shanks

Plate 7374—"Roxul"

Plate 7375: Comprising Shanks' No. 7296 "Roxul" Lavatory, in white glazed Vitreous China, with back and side skirtings, open overflow, soap sinkings, waste hole and tap holes. *No fittings.*

Approximate Sizes		
Basin Inside	Overall	
18½″×9″ (463 mm.×229 mm.)	22″×16″ (559 mm.×406 mm.)	£1 8 3
20½″×11″ (521 mm.×279 mm.)	25″×18″ (635 mm.×457 mm.)	£2 8 0
22″×11½″ (559 mm.×292 mm.)	27″×19″ (686 mm.×483 mm.)	£3 1 6

FITTINGS

No. 4034 ½″ (13 mm.) hot and cold taps, chromium-plated, *Ministry of Health standard*, per pair	£0 12 6
Ditto ditto, *J.C.S.W.R. standard*, per pair	£0 13 6
No. 1123 1¼″ (32 mm.) plug and chain waste, chromium-plated	£0 4 3
No. 7311 1¼″ (32 mm.) chromium-plated "P" trap, *not including wall flange*	£0 8 9
No. 6070 cast-iron brackets, plain painted, per pair	£0 2 3
Ditto ditto, white porcelain enamelled, per pair	£0 5 0
No. 6398 cast-iron brackets with projecting rail for towels (see inset), plain painted, per pair	£0 7 0
Ditto ditto, white porcelain enamelled, per pair	£0 11 6

Plate 7374: Comprising Shanks' No. 7295 Pedestal Lavatory, The "Roxul," in white glazed Vitreous China, with back and side skirtings, open overflow, soap sinkings, waste hole and tap holes, fixture for securing pedestal to basin. *No other fittings.*

Approximate Sizes		
Basin Inside	Overall	
20½″×11″ (521 mm.×279 mm.)	25″×18″ (635 mm.×457 mm.)	£4 10 0
22″×11½″ (559 mm.×292 mm.)	27″×19″ (686 mm.×483 mm.)	£5 3 6

FITTINGS

No. 4034 ½″ (13 mm.) hot and cold taps, chromium-plated, *Ministry of Health standard*, per pair ...	£0 12 6
Ditto ditto, *J.C.S.W.R. standard*, per pair ...	£0 13 6
No. 1123 1¼″ (32 mm.) plug and chain waste, chromium-plated	£0 4 3
No. 7311 1¼″ (32 mm.) chromium-plated "P" trap, *not including wall flange*	£0 8 9

Plate 7375—"Roxul"



No. 6398
Towel Rail Bracket

Shanks



Plate 7473—" Briton "

Plate 7473 : Comprising Shanks' No. 7469 " Briton " Lavatory, in white glazed Vitreous China, with back and side skirtings, open overflow, soap sinkings, waste hole and tap holes. *No fittings.*

Approximate Sizes		
Basin Inside	Overall	
18½" × 9½" (470 mm. × 235 mm.)	22" × 16" (559 mm. × 406 mm.)	£1 8 3
20½" × 10½" (521 mm. × 267 mm.)	25" × 18" (635 mm. × 457 mm.)	£2 8 0
22" × 11½" (559 mm. × 592 mm.)	27" × 19" (686 mm. × 483 mm.)	£3 1 6

FITTINGS

No. 7470 ½" (13 mm.) combined hot and cold taps, *J.C.S.W.R. standard*, with single inlet nozzle in combination with pop-up waste, chromium-plated	£3 5 0
No. 7311 1¼" (32 mm.) chromium-plated " P " trap, *not including wall flange*	£0 8 9
No. 7475 concealed cast-iron wall hangers for screwing to wall, and adjusting screw. *Suitable for 22" × 16" and 25" × 18" overall lavatories only*	£0 2 6

Plate 7474 : Comprising Shanks' No. 7469 " Briton " Lavatory, in white glazed Vitreous China, with back and side skirtings, open overflow, soap sinkings, waste hole and tap holes. *No fittings.*

Approximate Sizes		
Basin Inside	Overall	
18½" × 9½" (470 mm. × 235 mm.)	22" × 16" (559 mm. × 406 mm.)	£1 8 3
20½" × 10½" (521 mm. × 267 mm.)	25" × 18" (635 mm. × 457 mm.)	£2 8 0
22" × 11½" (559 mm. × 292 mm.)	27" × 19" (686 mm. × 483 mm.)	£3 1 6

FITTINGS

No. 4034 ½" (13 mm.) hot and cold taps chromium-plated, *Ministry of Health standard*, per pair	£0 12 6
Ditto, *J.C.S.W.R. standard*, per pair ...	£0 13 6
No. 6969 1¼" (32 mm.) pop-up waste, chromium-plated	£1 17 6
No. 7311 1¼" (32 mm.) chromium-plated " P " trap, *not including wall flange*	£0 8 9
No. 7475 concealed cast-iron wall hangers for screwing to wall, and adjusting screw. *Suitable for 22" × 16" and 25" × 18" overall lavatories only*	£0 2 6



Plate 7474—" Briton "



No. 6070 cast-iron brackets, plain painted, per pair £0 2 3

Ditto, white porcelain enamelled, per pair £0 5 0



View showing No. 7475 concealed wall-hangers and adjusting screw.



Plate 7476—" Briton "

Plate 7476 : Comprising Shanks' No. 7471 " Briton " Lavatory, in white glazed Vitreous China, with back and side skirtings, open overflow, soap sinkings, waste hole and tap holes. *No fittings.*

Approximate Sizes		
Basin Inside	Overall	
18½″ × 10½″ (470 mm. × 260 mm.)	22″ × 16″ (559 mm. × 406 mm.)	£1 8 3
20½″ × 11½″ (521 mm. × 292 mm.)	25″ × 18″ (635 mm. × 457 mm.)	£2 8 0
22″ × 12½″ (559 mm. × 317 mm.)	27″ × 19″ (686 mm. × 483 mm.)	£3 1 6

FITTINGS

No. 4034 ½″ (13 mm.) hot and cold taps, chromium-plated, *Ministry of Health standard*, per pair	£0 12 6
Ditto, *J.C.S.W.R. standard*, per pair ...	£0 13 6
No. 1123 1¼″ (32 mm.) plug and chain waste, chromium-plated	£0 4 3
No. 7311 1¼″ (32 mm.) chromium-plated " P " trap, *not including wall flange*	£0 8 9
No. 6070 cast-iron brackets, plain painted, per pair	£0 2 3
Ditto, white porcelain enamelled, per pair	£0 5 0

Plate 7477 : Comprising Shanks' No. 7471 " Briton " Lavatory, in white glazed Vitreous China, with back and side skirtings, open overflow, soap sinkings, waste hole and tap holes. *No fittings.*

Approximate Sizes		
Basin Inside	Overall	
18½″ × 10½″ (470 mm. × 260 mm.)	22″ × 16″ (559 mm. × 406 mm.)	£1 8 3
20½″ × 11½″ (521 mm. × 292 mm.)	25″ × 18″ (635 mm. × 457 mm.)	£2 8 0
22″ × 12½″ (559 mm. × 317 mm.)	27″ × 19″ (686 mm. × 483 mm.)	£3 1 6

FITTINGS

No. 4034 ½″ (13 mm.) hot and cold taps, chromium-plated, *Ministry of Health standard*, per pair	£0 12 6
Ditto, *J.C.S.W.R. standard*, per pair ...	£0 13 6
No. 1123 1¼″ (32 mm.) plug and chain waste, chromium-plated	£0 4 3
No. 7311 1¼″ (32 mm.) chromium-plated " P " trap, *not including wall flange*	£0 8 9
No. 7475 concealed cast-iron wall hangers for screwing to wall and adjusting screw. *Suitable for 22″ × 16″ and 25″ × 18″ overall lavatories only*	£0 2 6

Plate 7477—" Briton "



No. 6398 cast-iron brackets with projecting rail for towels, plain painted, per pair	£0 7 0
Ditto, white porcelain enamelled, per pair	£0 11 6



View showing No. 7475 concealed wall-hangers and adjusting screw.

Plate 7217—"Coral"



Plate 7217: Comprising Shanks' No. 7478 "Coral" Bidet, in white glazed Vitreous China, waste hole and tap holes, and hole for ascending spray. *No fittings.*

£4 12 0

FITTINGS

No. 7331 ½" (13 mm.) "Luxor" design, square formation, "Eureka" mixing fitting for hot and cold, indicator with directing handle to rim and ascending spray; No. 7332 1¼" (32 mm.) square formation, "Luxor" design pop-up waste, chromium-plated	**£6 10 0**
Ditto, but round formation	**£4 10 0**

Plate 7472—"Standard"



Plate 7472: Comprising Shanks' No. 6432 "Standard" Bidet, in white glazed Vitreous China, waste hole and tap holes, and hole for ascending spray. *No fittings.*

£4 12 0

FITTINGS

No. 6430 ½" (13 mm.) "Eureka" mixing fitting, with smooth tops, for hot and cold, indicator with directing handle to rim and ascending spray; No. 6431 1¼" (32 mm.) standing waste and overflow, chromium-plated	**£3 2 6**

EXTRAS to Bidets on this page

If with brass supply pipes to floor with floor flanges, chromium-plated, per pair	**£0 15 0**
If with No. 5634 1¼" (32 mm.) brass "P" trap with cleaning eye, chromium-plated	**£0 13 6**



Section of " Remirol "



Plan of " Remirol "

Approximate Sizes

A 22½" (571 mm.)	D 12" (305 mm.)
B 12¾" (324 mm.)	E 9" (229 mm.)
C 14" (356 mm.)	F 23" (584 mm.)

Plate 4781—" Remirol"

THE " REMIROL " CLOSET is recommended from a health point of view owing to its low height and sloping top.
These features cause the user to adopt a posture most calculated to promote satisfactory evacuation.
An additional advantage is its suitability for children. The usual W.C. is too high for young children to use comfortably, whereas the " Remirol " is exactly the correct height.

Plate 4781 : Shanks' " Remirol " Washdown Closet Set, comprising :—

No. 3923 : White Glazed Vitreous China " Remirol " Closet.

£2 7 9

Our well known " Modern " closet in Vitreous China may be supplied at same price as above. Illustration on request.

No. 1638 : Double Thickness Polished Mahogany " Ideal " Seat, with chromium-plated hinges.

£0 19 3

No. 4775 : 3-gallon (14 litres) Low-down Cistern Shell and Cover, in white glazed Vitreous China ; No. 6688 " Duro " valve fittings ; ball-cock with silencing tube ; white porcelain enamelled steel connecting pipe. Mountings chromium-plated.

£4 6 3

No. 3541 : " Adaptus " India-rubber Joint for Inlet of Closet.

£0 1 6

When ordering state whether cistern required with secret overflow leading into closet, or with separate overflow.

Approximate Overall Sizes

Height	3′ 0½" (927 mm.)
Width	1′ 7½" (495 mm.)
Projection	2′ 7" (787 mm.)

EXTRAS

If with lid for seat in polished mahogany	**£0 10 3**
If with silencing device on ball-cock	**£0 1 0**
If " Duro" fittings supplied with suction valve	**£0 5 0**

Plate 7365—"Neosan"

Plate 7365 : Shanks' "Neosan" Washdown Closet Set, comprising :—

No. 7263 : White Glazed Vitreous China "Neosan" Closet, with half box rim.

£1 15 6

No. 1639 : Single Thickness Polished Mahogany "Ideal" Seat, with chromium-plated hinges.

£0 14 3

No. 7373 : 3-gallon (14 litres) Low-down Cistern Shell and Cover, in white glazed Vitreous China ; No. 6119 "Improved Beta" valve fittings, submerged ball-cock ; white porcelain enamelled steel connecting pipe. Mountings chromium-plated.

£3 19 0

If desired the cistern shown on page 11 may be supplied instead of the one shown above.

No. 3541 : "Adaptus" India-rubber Joint for Inlet of Closet.

£0 1 6

Approximate Overall Sizes

Height	3′ 1¾″ (959 mm.)
Width	1′ 8¼″ (514 mm.)
Projection	2′ 7¾″ (806 mm.)

When ordering state whether cistern required with secret overflow leading into closet, or with separate end overflow.

EXTRAS

If with lid for seat in polished mahogany	**£0 10 3**
If with silencing device on ball-cock	**£0 1 0**
If with elevated ball-cock instead of submerged ball-cock	**£0 3 0**
If "Improved Beta" fittings supplied with suction valve	**£0 5 0**

Full details regarding traps and vents to be stated when ordering.

Shanks

Fig. 1

Fig. 2



Fig. 3



Fig. 4

Plate 7461—"Albany"



Fig. 5



Fig. 6

Approximate Overall Sizes

	2 gallon (9 litres) cistern	2½ or 3 gallon (11 or 14 litres) cistern
Height	3′ 4¼″ (1022 mm.)	3′ 2″ (965 mm.)
Width	1′ 7″ (483 mm.)	1′ 9¼″ (540 mm.)
Projection, all capacities	2′ 6″ (762 mm.)	

Plate 7461 : Shanks' "Albany" Siphonic Closet Set, comprising :—

No. 4660 : White Glazed Vitreous China "Albany" Closet, with separate adjustable brass outlet piece.

With outlet piece discharging through floor, no vent, as Fig. 1	£2 11 0
Ditto, ditto, with vent, as Fig. 2	£2 17 0
Ditto, through wall, no vent, as Fig. 3	£2 17 6
Ditto, ditto, with vent, as Fig. 4	£3 2 6
With L.C.C. pattern outlet piece discharging through floor, with vent, as Fig. 5	£3 1 0
Ditto, ditto, through wall, with vent, as Fig. 6	£2 17 0

The "Argos" Siphonic Closet which is similar to above but with square base and lip front, may be supplied at an extra of £0 6 9

No. 1638 : Double Thickness Polished Mahogany "Ideal" Seat, with chromium-plated hinges.

£0 19 3

No. 7265 : Low-down Cistern Shell and Cover, in white glazed Vitreous China ; 1¾″ (44 mm.) bore valveless siphon fittings ; ball-cock with silencing tube ; overflow connection ; white porcelain enamelled steel connecting pipe. Mountings chromium-plated.

	Cistern 2 or 2½ gallons with end connections	Cistern 2½ gallons with bottom connections	Cistern 3 gallons with bottom or end connections
With No. 6376 "Certus" fittings in lead	£4 0 9	£4 5 9	£4 7 9
With No. 6383 "New Rotunda" fittings in brass	£4 5 0	£4 10 0	£4 16 3

No. 7265 : 3-gallon (14 litres) Cistern, as above, but with No. 6688 "Duro" valve fittings.

£4 6 3

If desired, the cistern shown on page 10 may be supplied instead of the one shown above.

No. 3541 : "Adaptus" India-rubber Joint for Inlet of Closet.

£0 1 6

EXTRAS

If with lid for seat in polished mahogany	£0 10 3
If with silencing device on ball-cock	£0 1 0
If "Duro" fittings supplied with suction valve	£0 5 0

Plate 7397—" Ny Aptus "

Plate 7397 : Shanks' " Ny Aptus " Siphonic Closet Set, comprising :—

No. 7463 : White Glazed Vitreous China " Ny Aptus " Closet.

£2 3 6

No. 1638 : Double Thickness Polished Mahogany " Ideal " Seat, with chromium-plated hinges.

£0 19 3

No. 7373 : 3-gallon (14 litres) Low-down Cistern Shell and Cover, in white glazed Vitreous China ; No. 6119 " Improved Beta " valve fittings ; submerged ball-cock ; white porcelain enamelled steel connecting pipe. Mountings chromium-plated.

£3 19 0

If desired, the cistern shown on page 11 may be supplied instead of the one shown above.

No. 3541 : " Adaptus " India-rubber Joint for Inlet of Closet.

£0 1 6

Approximate Overall Sizes

Height	... ...	3′ 3″ (991 mm.)
Width	... ...	1′ 8″ (508 mm.)
Projection	... ...	2′ 4½″ (724 mm.)

When ordering state whether cistern required with secret overflow leading into closet or with separate end overflow.

EXTRAS

If with lid for seat in polished mahogany	**£0 10 3**
If with silencing device on ball-cock	**£0 1 0**
If with elevated ball-cock instead of submerged ball-cock ...	**£0 3 0**
" Improved Beta " fittings supplied with suction valve ...	**£0 5 0**

Plate 7464 : Shanks' " Ny Aptus " Siphonic Closet Set, comprising :—

No. 7463 : White Glazed Vitreous China " Ny Aptus " Closet.

£2 3 6

No. 1638 : Double Thickness Polished Mahogany " Ideal " Seat, with chromium-plated hinges.

£0 19 3

No. 7466 : 1½″ (38 mm.) " Hydrus " Flushing Valve, with stop-cock and connecting pipe, chromium-plated.

The stop-cock on " Hydrus " valve is made in three different sizes to suit the following pressures :—

1½″ (38 mm.) stop-cock for pressures at valve from 5 to 15 lbs. per square inch	**£4 5 0**
1¼″ (32 mm.) stop-cock for pressures at valve over 15 and up to 25 lbs. per square inch	**£4 5 0**
1″ (25 mm.) stop-cock for pressures at valve over 25 lbs. per square inch	**£4 5 0**

Stop-cocks are screwed female to take iron pipe.

NOTE.—The pressure at valve should not be less than 5 lbs. per square inch.

No. 3541 : " Adaptus " India-rubber Joint for Inlet of Closet.

£0 1 6

Approximate Overall Sizes

Height	... ...	2′ 11″ (889 mm.)
Width	... ...	1′ 3¼″ (387 mm.)
Projection	... ...	2′ 2″ (660 mm.)

EXTRA

If with lid for seat in polished mahogany **£0 10 3**

Plate 7464—" Ny Aptus "